

Children with Asthma

DEFINITION

Children with asthma is the rate of emergency department visits where asthma was the primary diagnosis per 1,000 children under age 18.

SIGNIFICANCE

Asthma is a chronic respiratory disease that causes treatable episodes of coughing, wheezing, shortness of breath, and chest tightness, which can be life threatening when not controlled. Asthma attacks can be triggered by respiratory infections, air pollutants (such as high levels of ozone), cigarette smoke, and allergens. While the exact cause is unknown, various genetic factors, environmental factors (such as long-term exposure to traffic pollution), climate change, and socio-economic factors (such as poverty and persistent or prolonged stress) have been linked to an increased risk for asthma.¹⁻⁴

Asthma is the most common chronic condition among children and adolescents worldwide.⁴ Current asthma prevalence among U.S. children fell from 8.1% in 2016 to 6.5% in 2022.⁵ However, disparities in asthma rates persist. Puerto Rican and non-Hispanic Black children have much higher asthma rates than non-Hispanic white children. Rates of asthma are also higher among males and among children living in poverty.^{6,7} Social and environmental risk factors for asthma account for much of the disparities in asthma rates and severity.⁸


Compared with adults, children have much higher rates of emergency department visits for asthma, slightly higher hospitalization rates, and lower death rates.⁹ Asthma is a leading cause of emergency department visits and hospitalization for children under age 18 and school absenteeism.^{10,11} Asthma is also associated with dental disease. From 2020-2024, Rhode Island youth who took medication for asthma were more likely to be treated for dental disease than youth with untreated asthma or youth without asthma.¹²

Proper asthma management requires continued assessment and monitoring, patient education, environmental assessment, and appropriate medication. Health care providers should work with the child and family to create an asthma action plan with steps to avoid asthma triggers and use medications properly. Adherence can improve health outcomes and reduce hospitalizations if supported by enhanced care and community-based interventions.¹³⁻¹⁵

Rhode Island middle and high school staff provide information about and referrals for asthma. In Rhode Island in 2020, 67% of middle and high schools reported providing health care referrals for students diagnosed with or suspected of having asthma, 69% of schools reported providing asthma education to students, and 41% provided families with information on asthma.¹⁶



Asthma Emergency Department Visit Rates By Age, Rhode Island Children, 2018-2024*



Source: Rhode Island Department of Health, Emergency Department Visit Data, 2018-2024. *Asthma-related emergency department visits decreased substantially in spring 2020 and must be interpreted with caution due to the COVID-19 pandemic.

- ◆ Pediatric asthma emergency department (ED) visit rates where asthma was the primary diagnosis decreased in each age group between 2018 and 2021, excluding 2020. In 2022, however, the ED visit rate for a primary diagnosis of asthma among children went up, rising notably among children aged two to six years. In 2024, the rate for children ages two to six was 11.5 per 1,000 children, a slight increase from 2023. Asthma is a chronic condition with many triggers, so ED visit rates for pediatric asthma can vary from one year to the next.¹⁷
- ◆ In Rhode Island between 2020 and 2024, there were 737 hospitalizations with a primary asthma diagnosis among children under age 18, a rate of 0.7 per 1,000 children. The rate of primary asthma hospitalizations was higher in the five core cities (1.1 per 1,000 children) than in the remainder of the state (0.5 per 1,000 children).¹⁷
- ◆ There was a steep decline in pediatric asthma emergency department visits and hospitalizations in Rhode Island during the spring of 2020.¹⁸ One contributor for this was families' reluctance to visit the hospital due to fear of contracting COVID-19. In addition, with public schools closed in the spring of 2020, it is likely that children with asthma had less exposure to viral infections and environmental allergens than in prior years, which may have decreased asthma problems.¹⁹



Asthma Prevalence

◆ In 2022, Rhode Island parents reported rates of current asthma prevalence of their children of 8.0% (down from 9.9% in 2018) compared to the average of 6.5% for parents surveyed in 29 states and Washington, DC. Rhode Island had the eleventh highest reported asthma prevalence among the 29 participating states.^{20,21}

◆ Between 2020 and 2024, 47% of emergency department visits with a primary diagnosis of asthma were for Hispanic children, 30% were for white children, and 15% were for Black children. Nearly three quarters (70%) of emergency department visits were for children with Rte Care/Medicaid.¹⁷ Inequities in social determinants of health (housing policies, environmental quality and pollution, and social stressors) contribute to the racial and ethnic disparities in asthma development, progression, and management.³

Table 20. Asthma Emergency Department Visits for Children Under Age 18, Rhode Island, 2020-2024

| CITY/TOWN | ESTIMATED # OF CHILDREN UNDER AGE 18 | # OF CHILD EMERGENCY DEPT. VISITS WITH PRIMARY ASTHMA DIAGNOSIS | RATE OF CHILD EMERGENCY DEPT. VISITS WITH PRIMARY ASTHMA DIAGNOSIS, PER 1,000 CHILDREN |
|-------------------|--------------------------------------|---|--|
| Barrington | 4,489 | 56 | 2.5 |
| Bristol | 2,887 | 29 | 2.0 |
| Burrillville | 3,229 | 50 | 3.1 |
| Central Falls | 6,411 | 245 | 7.6 |
| Charlestown | 1,161 | 12 | 2.1 [^] |
| Coventry | 6,655 | 119 | 3.6 |
| Cranston | 15,744 | 382 | 4.9 |
| Cumberland | 7,550 | 97 | 2.6 |
| East Greenwich | 3,465 | 28 | 1.6 [^] |
| East Providence | 7,886 | 194 | 4.9 |
| Exeter | 1,175 | 8 | * |
| Foster | 790 | 8 | * |
| Glocester | 1,896 | 12 | 1.3 [^] |
| Hopkinton | 1,613 | 24 | 3.0 [^] |
| Jamestown | 871 | <5 | * |
| Johnston | 5,119 | 103 | 4.0 |
| Lincoln | 4,640 | 64 | 2.8 |
| Little Compton | 568 | <5 | * |
| Middletown | 3,487 | 70 | 4.0 |
| Narragansett | 1,651 | 6 | * |
| New Shoreham | 189 | 0 | 0.0 |
| Newport | 3,660 | 94 | 5.1 |
| North Kingstown | 5,496 | 56 | 2.0 |
| North Providence | 5,802 | 140 | 4.8 |
| North Smithfield | 2,274 | 41 | 3.6 |
| Pawtucket | 16,455 | 535 | 6.5 |
| Portsmouth | 3,444 | 40 | 2.3 |
| Providence | 41,021 | 1,864 | 9.1 |
| Richmond | 1,627 | <5 | * |
| Scituate | 1,866 | 32 | 3.4 |
| Smithfield | 3,411 | 37 | 2.2 |
| South Kingstown | 4,339 | 49 | 2.3 |
| Tiverton | 2,723 | 18 | 1.3 [^] |
| Warren | 1,826 | 32 | 3.5 |
| Warwick | 14,034 | 241 | 3.4 |
| West Greenwich | 1,251 | 12 | 1.9 [^] |
| West Warwick | 5,787 | 135 | 4.7 |
| Westerly | 3,826 | 91 | 4.8 |
| Woonsocket | 9,467 | 389 | 8.2 |
| Five Core Cities | 77,014 | 3,127 | 8.1 |
| Remainder State** | 132,771 | 2,197 | 3.3 |
| Rhode Island** | 209,785 | 5,324 | 5.1 |

Source of Data for Table/Methodology

Rhode Island Department of Health, Emergency Department, and Hospital Discharge Data, 2020-2024.

Data for 2020 are not comparable to prior years. Asthma-related emergency department visits and hospitalizations decreased substantially in spring 2020, due to the COVID-19 pandemic.

Data are reported by place of child's residence at the time of the emergency department visit.

The Rhode Island Department of Health defines emergency department visits with primary asthma diagnosis as those resulting in a home discharge or another facility but not admitted to the hospital as an inpatient. As such, data are not comparable to *Factbooks* prior to 2017.

Effective October 1, 2015, the International Classification of Disease (ICD) codes changed from the 9th classification to the 10th classification, which may impact comparability across the years.

The data are event-level files. Children admitted to the hospital (ED or inpatient) more than once are counted as a new event for each admission.

The denominator used to compute the 2020-2024 rate of emergency department visits is the number of children according to the 2020 U.S. Census, multiplied by five.

[^] The data are statistically unstable, and rates should be interpreted with caution.

^{*} The data are statistically unreliable, and rates are not reported and should not be calculated.

Data excludes Rhode Island cities and towns unknown.

Five core cities are Central Falls, Newport, Pawtucket, Providence, and Woonsocket.

References

- Centers for Disease Control and Prevention. (2024). *About asthma*. <https://www.cdc.gov/asthma/about/index.html>
- Rice, M. B., Rifas-Shiman, S.L., Litonjua, A.A., Gillman, M.W., Liebman, N.,... Gold, D.R. (2018). Lifetime air pollution exposure and asthma in a pediatric birth cohort. *Journal of Clinical Immunology*, 141(5), 1932-1933.

(continued on page 181)

²² Hybels, M., Rogers, S., & Hunter, D. (2023). *Mechanisms for advancing health equity: Creating an equitable landscape for lactation consultant licensure in Rhode Island*. Network for Public Health Law.

(continued from page 73)

References for

Children Affected by Lead Exposure

- ² Rhode Island Department of Health. (n.d.). *Lead poisoning information for healthcare professionals*. Retrieved March 20, 2025, from <https://health.ri.gov/lead-poisoning/information/lead-poisoning-information-healthcare-professionals>
- ³ Centers for Disease Control and Prevention. (2022). *Health effects of lead exposure*. <https://www.cdc.gov/lead-prevention/symptoms-complications/index.html>
- ⁴ Whitehead, L. S., & Buchanan, S. D. (2019). Childhood lead poisoning: A perpetual environmental justice issue? *Journal of Public Health Management and Practice: JPHMP*, 25(1), S115–S120.
- ⁵ Child Trends. (2017). *Lead poisoning*.
- ⁶ World Health Organization. (2010). *Childhood lead poisoning*.
- ⁷ American Academy of Pediatrics Council on Environmental Health. (2016). Prevention of childhood lead toxicity. *Pediatrics*, 138(1). <https://doi.org/10.1542/peds.2016-1493>
- ⁸ Sacks, V., & Balding, S. (2018). *The United States can and should eliminate childhood lead exposure*. <https://www.childtrends.org/publications/the-united-states-can-and-should-eliminate-childhood-lead-exposure>
- ⁹ Ettinger, A. S., Ruckart, P. Z., & Dignam, T. (2019). Lead poisoning prevention: The unfinished agenda: The unfinished agenda. *Journal of Public Health Management and Practice*, 25 Suppl 1, *Lead Poisoning Prevention*(1), S1–S2.
- ¹⁰ Rhode Island Department of Health. (2025). *Childhood lead poisoning*. <https://health.ri.gov/data/childhood-lead-poisoning-data>
- ¹¹ Allwood, P. B., Falk, H., & Svendsen, E. R. (2022). A historical perspective on the CDC childhood lead poisoning prevention program. *American Journal of Public Health*, 112(S7), S635–S639.

- ¹² Aizer, A., Currie, J., Simon, P., & Vivier, P. (2018). Do low levels of blood lead reduce children's future test scores? *American Economic Journal. Applied Economics*, 10(1), 307–341.
- ¹³ Rhode Island Department of Health. (n.d.). *Healthy Homes and Childhood Lead Poisoning Prevention Program, 2007-2024*.
- ¹⁴ McLaine, P., Navas-Acien, A., Lee, R., Simon, P., Diener-West, M., & Agnew, J. (2013). Elevated blood lead levels and reading readiness at the start of kindergarten. *Pediatrics*, 131(6), 1081–1089.
- ¹⁵ Rhode Island Longitudinal Data System, Rhode Island Department of Education, & Rhode Island Department of Health. (2025). *The educational impact of lead exposure*. <https://rilds.org/lead-exposure>
- ¹⁶ Rhode Island Department of Health. (2022). *Lead hazard mitigation program*. <https://health.ri.gov/lead-poisoning/lead-hazard-mitigation-program>
- ¹⁷ Rhode Island Department of Health. (n.d.). *Childhood lead poisoning prevention program referral intervention process*. Retrieved March 15, 2025, from <https://health.ri.gov/lead-poisoning>
- ¹⁸ Rhode Island General Law, 23-24.6-9.
- ¹⁹ Rhode Island General Law, 34-18-58.

(continued from page 75)

References for Children with Asthma

- ³ Williams, D. R., Sternthal, M., & Wright, R. J. (2009). Social determinants: Taking the social context of asthma seriously. *Pediatrics*, 123 (Suppl 3).
- ⁴ Wright, R. J. (2020). Influences of climate change on childhood asthma and allergy risk. *The Lancet. Child & Adolescent Health*, 4(12), 859–860.
- ⁵ Centers for Disease Control and Prevention. (n.d.). *Asthma 2016 and 2021: Behavioral Risk Factor Surveillance System (BRFSS) Prevalence Data*. Retrieved March 18, 2025, from <https://www.cdc.gov/asthma/brfss/default.htm>
- ⁶ Perez, M. F., & Coutinho, M. T. (2021). An overview of health disparities in asthma. *Yale Journal of Biological Medicine*, 94(3), 497–507.
- ⁷ Subbarao, P., Mandhane, P. J., & Sears, M. R. (2009). Asthma: Epidemiology, etiology and risk factors. *Canadian Medical Association Journal*, 181(9), E181–E190.
- ⁸ Zanobetti, A., Ryan, P.H., Coull, B., Brokamp, C., Datta, S.,...Gold, D.R. (2022). Childhood asthma incidence, early and persistent wheeze, and neighborhood socioeconomic factors in the ECHO/CREW consortium. *JAMA Pediatrics*, 176(8), 759–767.
- ⁹ Centers for Disease Control and Prevention. (2024). *Most recent national asthma data: asthma mortality (2021). 2019-2021 National Health Interview Survey data*. https://www.cdc.gov/asthma/most_recent_national_asthma_data.htm
- ¹⁰ Aggarwal, S., Cepalo, T., Gill, S., Thipse, M., Clifton, K-L.,... Radhakrishnan, D. (2022). Factors associated with future hospitalization among children with asthma: a systematic review. *J Asthma*, 60(3), 425–445.
- ¹¹ Centers for Disease Control and Prevention. (2024). *Managing health conditions in school: Managing asthma in schools*. <https://www.cdc.gov/school-health-conditions/chronic/asthma.html>
- ¹² Rhode Island Department of Health. (2026). *Analysis of 2020-2024 Medicaid Data*.
- ¹³ National Institutes of Health. (2012). *Asthma care quick reference: Diagnosing and managing asthma*. www.nlm.nih.gov
- ¹⁴ Woods, E.R., Bhaumik, U., Sommer, S.J., Ziniel, S.,...Inethersole, S. (2012). Community asthma initiative: Evaluation of a quality improvement program for comprehensive asthma care. *Pediatrics*, 129(3), 465–472.
- ¹⁵ Chan, M., Gray, M., Burns, C., Owens, L.,...Homaira, N. (2021). Community-based interventions for childhood asthma using comprehensive approaches: A systematic review and meta-analysis. *Allergy, Asthma, and Clinical Immunology: Official Journal of the Canadian Society of Allergy and Clinical Immunology*, 17(1), 19.
- ¹⁶ Centers for Disease Control and Prevention. (2022). *School health profiles 2020: Characteristics of health programs among secondary schools*. Centers for Disease Control and Prevention.
- ¹⁷ Rhode Island Department of Health. (2020-2024). *Emergency Department Visits and Hospital Discharge Data*.

- ¹⁸ Koinis-Mitchell, D., D'Angelo, C., Dunsiger, S., McQuaid, E., Rogers, M.L. (2022). Effects of coronavirus disease 2019 pandemic on children, adolescents, and young adults with asthma in Rhode Island: Patterns in emergency department utilization with geospatial mapping. *Annals of Allergy, Asthma & Immunology: Official Publication of the American College of Allergy, Asthma, & Immunology*, 128(5), 598–600.
- ¹⁹ Simoneau, T., Greco, K.F., Hammond, A., Nelson, K., Gaffin, J.M. (2021). Impact of the COVID-19 pandemic on pediatric emergency department use for asthma. *Ann Am Thorac Soc*, 18(4), 717–719.
- ²⁰ Centers for Disease Control and Prevention. (n.d.). *2022: NSCH current asthma prevalence by state*. Retrieved March 3, 2025, from <https://www.cdc.gov/asthma-data/nsch-prevalence/index.html>
- ²¹ National Survey of Children's Health. (2019). *NSCH 2018-2019: Prevalence of current asthma, All States*. <https://nschdata.org/browse/survey/allstates?q=7628>

(continued from page 77)

Source of Data for Table/Methodology for Housing and Health

Effective October 1, 2015, the International Classification of Disease (ICD) codes changed from the 9th classification to the 10th classification, which may impact comparability across the years for Children with Asthma and Housing Related Falls.

Five core cities are Central Falls, Newport, Pawtucket, Providence, and Woonsocket.

References for Housing and Health

- ¹ U.S. Department of Housing and Urban Development. (n.d.). *Making homes healthier for families*. Retrieved March 1, 2024, from www.hud.gov
- ² Habitat for Humanity U.S. Research and Measurement Team. (2021). *How does housing affect children's education?* Habitat for Humanity International.
- ³ Swope, C., & Hernández, D. (2019). Housing as a determinant of health equity: A conceptual model. *Social Science & Medicine*, 243.
- ⁴ The Federal Healthy Homes Work Group. (2013). *Advancing healthy housing: A strategy for action*. www.healthyhomes.hud.gov